
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



TUMN OF 1905

ESTABLISHED 1849

LIBRARY

★ SEP 1 1 1923 ★

U.S. Department of Agriculture.

WHOLESALE TRADE-LIST RECEIVED

OF THE

Morrisville Nurseries

SAMUEL C. MOON Morrisville, Bucks County, Penna.

THE MORRISVILLE NURSERIES are in Bucks county, Pennsylvania, about one mile from Morrisville, a station on the New York Division of the P. R. R., thirty miles from Philadelphia, sixty miles from New York, and two miles from Trenton, New Jersey. Trolley cars from Trenton to Morrisville every half hour. The nursery is on Fallsington road, one mile from Morrisville P. O. Carriages can always be obtained from the stations in Trenton and Morrisville. To drive to the nursery from Trenton, cross the Delaware river over the Bridge-street bridge, and continue out Bridge street one and a half miles westward toward Fallsington.

THROUGH FREIGHT RATES from Trenton to all principal cities north, south, east and west, via Pennsylvania, Reading, or Lehigh Valley Railroads. Also, water transportation to Philadelphia and New York. All goods will be delivered to the railroad or steamboat in good condition, after which they are entirely at the risk of the purchaser. Should any loss or delay occur to goods in transit, the forwarding company alone must be held accountable and responsible. Packing is done in first-class manner, and charged for at cost of material used.

ALL CLAIMS for errors or deductions must be made immediately upon receipt of goods.

TERMS CASH, unless by special agreement. I can ship by express, C. O. D., when desired, with charges for collection added to bill.

Address all orders and communications to

Telegraph Address Care of Bell Telephone, 8-11a, Trenton, N. J. SAMUEL C. MOON

Morrisville, Bucks County, Penna.

OUR NURSERY has been recently examined by the Inspector of the Department of Agriculture for the state of Pennsylvania, and no evidence of the presence of Injurious insects or diseases was found. The nursery is carefully examined every month. Copy of Inspection certificate will be furnished when requested.

SAMUEL C. MOON'S WHOLESALE TRADE-LIST

LARGE STOCK.

Frequently we have calls for large, well-grown specimen trees and

shrubs, for producing immediate effect in new plantations.

The following are a few well-developed plants that have been transplanted several times, and are still standing in cultivated land. They have excellent roots, and most of them can be shipped with heavy balls of earth if desired. Large evergreens are shipped in tubs 4, 5 and 6 feet in diameter as required, thus securing a solid ball of earth.

Further particulars respecting the stock will be furnished on application, but whenever practicable, it is more satisfactory for purchasers to visit the Nursery and examine such stock in person. We are glad to receive

such visitors.

```
4 BEECH, American, 4 to 6 in. cal., 15 to 25 ft.
              European, 4 to 6 in. cal., 15 to 20 ft.
  1 CERCIDIPHYLLUM, 14 ft., 4-in. cal., bushy, branched low.
  5 ELMS, 5 to 8 in. cal., 25 to 35 ft.
  6 MAGNOLIA Soulangeana, 10 to 12 ft., large bushes, branched low.
                   Kobus, 9 to 12 ft., 3 in. cal., low branched, bushy tree.
  6 MAPLE, Norway, 6 to 9 in. cal., 20 to 30 ft. high.
               Sugar, 4 to 5 in. cal.
  6
  3 OAK, English (Quercus robur), 3 in. cal., 12 to 16 ft., transplanted 1900.
  2
            White (Q. alba), 3 and 4 in. cal., transplanted 1900.
  3
            Mossy-Cup (Q. macrocarpa), 3 in. cal., transplanted 1900.
  1
           Shingle (Q. imbricaria), 18 ft., branched low.
175 ALTHEA, Double White, 6 to 7 ft., bushy.
 18 JAPAN JUDAS, 6 ft., large bushes.
20 FORSYTHIAS, 7 to 8 ft.
 20 VIBURNUM tomentosum, 4 to 5 ft., very fine bushes.
 12 WISTARIA sinensis, large, spreading bushes, 8 to 10 ft.
  2
                            alba, large spreading bushes with runners 20 ft. long.
                            plena, double blue, heavy bushes, 6 to 8 ft.
100 EULALIAS, Japonica, Green Type, variegata, zebrina and gracil-
       lima, 12 to 15 in. in diameter.
  1 CRAB, Parkman's Double Flowering, 9 ft., large bush; branched low.
  1 ABIES Nordmanniana, 18 ft., growing in a tub 5 ft. in diam. and 4 ft. deep.
             pectinata, 8 to 9 ft.
```

2 PICEA pungens glauca, 6 ft., fine blue specimens grafted; one of the best varieties.

4 "excelsa inverta. 10 to 14 ft., very handsome irregular specimens transplanted 1900.

4 " excelsa elata, 6 to 8 ft.

1 PINUS Austriaca, 20 ft., transplanted 1903.

1 PHELLODENDRON Amurense (Chinese Cork Tree), 10 ft., branched low.

5 AMERICAN WHITE ASH, 4 to 5 in. cal., 30 ft. high.

4 RETINOSPORA squarrosa veitchii, 12 ft.

2 " plumosa, 14 to 16 ft.

2 " aurea, 10 to 12 ft.

obtusa nana, 10 ft.

4 PICEA orientalis, 8 ft.

1

1 THUYA GEORGE PEABODY, 10 ft.

DECIDUOUS ORNAMENTAL TREE				
APPLE, Parkman's Flowering Crab, 4 to 5 ft		00	Per	100
" Bechtel's Double Flowering Crab, 5 to 6 ft		00		
BEECH, American, 4 to 5 ft		00	\$50	00
" 6 to 8 ft., twice transplanted				
European, 3 to 4 ft.	4	00	25	
" 5 to 7 ft	7	50	6 0	00
description and prices of these will be furnished on application, when personal inspection is impracticable.				
Purple-leaved, seedlings, 2 to 3 ft., twice transplanted	3	00	25	00
" " 6 to 8 ft				
" " 8 to 10 ft				
" Rivers' top-grafted, 6 to 8 ft	10	0 0		
Fine specimens, 10 to 14 ft., transplanted in 1903each, \$25				
BIRD OHERRY (Cerasus padus), 5 to 6 ft	2	00	15	0 0
CEROIDIPHYLLUM Japonicum, 7 to 8 ft			15	00
CLADRASTIS tinctoria (Virgilea lutea), 4 to 6 ft.				
OYPRESS, Deciduous (Taxodium distichum), 8 to 10 ft			75	00
ELM, American, 10 to 12 ft., twice transplanted	-	00		
" 12 to 14 ft	10	UU		
European, 16 to 20 ft., 3 to 5 in. calipereach, \$5 to \$25				
GINKGO biloba, 2 to 3 ft.	2	0 0	15	00
" 8 to 10 ft	6	00	40	
" 12 to 14 ft., 2 in. cal	10	00		
HORSE OHESTNUT, Double White-flowering, 6 to 8 ft.				
White-flowering, 8 to 9 ft				
Red-flowering (A. rubicunda), 5 to 6 ft				
JUDAS, Japan (Cercis Japonica), 3 to 4 ft				
" " 5 to 6 ft				
American (Cercis Canadensis), 2 to 3 ft	1		6	00
" " " 3 to 4 ft	2	00	12	00
" 4 to 5 ft	2 (16	
KENTUCKY COFFEE TREE (Gymnocladus Canadensis), 5 to 7 ft	2 .		20	00
LARCH, Kæmpferii, 4 to 6 ft., frequently transplanted				
LINDEN, American, 9 to 10 ft.				
European, 10 to 12 ft				
dasystyla, 6 to 8 ft	7			
LIQUIDAMBAR styraciflua (Bilstead, or Sweet Gum), fine specimens, 4 to 6 in. cal., 16 to 20 ft., transplanted				
19:0 \$10 to \$15 each				
" 18 to 24 in., transplanted	1	50	10	00
MAGNOLIA Glauca, 2-yr. seedlings, 12 to 18 in., transplanted		50	20	00
Kobus (Japanese Magnolia), 6 to 10 ft.; bushy and fine; frequently transplanted, each, \$5 to \$25				
" 3 to 4 ft., bushy and well rooted	5	00		
'' Seedlings, 1 yr\$15 per 1,000		5 0	2	50

	Per 10	Per 100
MAGNOLIA Lennei, 3 to 4 ft	\$10 00	10.100
obovata, gracilis and purpurea, 18 to 24 in		
Soulangeana, 4 to 5 ft		
" 5 to 7 ft	15 0 0	
" 7 to 10 ft., large bushes\$5 to \$25 each		
tripetala, 5 to 6 ft	7 50	
10 to 10 it., transplanted 1902		*00 00
MAPLE, Japan (Acer polymorphum), 2 to 3 ft., twice transplanted	2 50	\$20 00
Norway, 10 to 12 ft., four times trans	6 00 10 00	
Scarlet, or Red, or Swamp, 8 to 10 ft	10 00	
" 10 to 12 ft	15 0 0	
Silver, 4 to 6 ft\$25 per 1,000	50	8 00
Sugar, nursery-grown, trans., 4 to 5 ft.	1 50	6 00
" 10 to 12 ft., thrice trans, well branched	5 00 12 00	100 00
Black Sugar (Acer nigrum), 5 to 6 ft	2 50	20 00
OAK, English (Quercus robur), 8 to 10 ft., well branched		
Ohestnut (Q. prinus), 10 to 12 ft		
Mossy Cup (Q. macrocarpa), 6 to 8 ft., twice trans		
" 8 to 10 ft., thrice trans	10 00	
10 to 12 16,		40.00
Pin (Q. palustris), 6 to 8 ft	5 00 10 00	40 0 0 75 00
" 10 to 12 ft., 2 to $2\frac{1}{4}$ in. cal		
Red (Q. rubra), 2 to 3 ft.	75	5 00
" 8 to 10 ft	6 00	50 0 0
Willow-leaf (Q. Phellos), 6 to 8 ft., twice trans	6 00	50 0 0
" 8 to 10 ft	75 00	00 00
" 10 to 12 ft	1 0 0 0	
PAULOWNIA imperialis, 4 to 5 ft.	2 50	
PLATANUS orientalis, 2 to 3 ft	1 00	
" 6 to 8 ft	3 0 0	
POPLAR, Lombardy (Populus fastigiata), 5 to 6 ft	2 00	
STYRAX Japonica, 7 to 8 ft	5 00	
VIRGILIA lutea, 4 to 6 ft.		
WILLOW, Golden Bark (Salix alba vitellina), 6 to 8 ft	2 50	
Red Bark Britzensis, 2 to 3 ft	1 00	0 00
EVERGREENS.		
ARBORVITÆ, American, 2 to 3 ft.	Per 10	Per 100
o to 4 to., twice transplanted	6 00	
" 4 to 5 ft., thrice transplanted	75	5 00
" 10 to 12 in	1 50	
" 12 to 15 in	2 50	
Geo. Peabody, 2 to 3 ft	10 00	
globosa, 6 to 9 in	1 00	5 00
" 8 to 10 in	1 50	12 00
" 12 to 15 in	2 50	2 0 00
Heath-leaved (Thuya ericoides), and Tom Thumb,		40.00
12 to 15 in	1 50	
" 2 to 3 ft	3 50	

		,	
	Per 10		
ARBORVITÆ, Hovey's Golden, 6 to 9 in	\$0.75	\$5 00	
" 9 to 12 in	1 00		
" 12 to 15 in	2 00	15 00	
Pyramidal, 18 to 24 in	2 50		
" 2 to 3 ft	4 00 6 00		
Pumila (Reid's), 9 to 12 in.	1 00		
" 12 to 15 in	2 00		
Siberian, 12 to 15 in	2 00		
" 2 to 3 ft	5 00		
Vervæneana, 8 to 4 ft.	2 5		
" 4 to 6 ft	5 00		
Elegantissima, 12 to 15 in.	5 00		
ORYPTOMERIA Japonica, 2 to 3 ft., grown in pots	7 50		
JUNIPER, Swedish, 12 to 18 in	1 50		
" 18 to 24 in " Dwarf, 9 to 12 in	2 00 1 50		
" 18 in	2 50		
American (Juniperus communis), 2 to 3 ft	1 50	10 00)
Oracovia, 2 to 3 ft	2 00	15 00	1
Golden (J. communis aurea), 9 to 12 in	1 50	10 00	
" " 12 to 15 in	2 ()(
" " 15 to 18 in	3 00		
10 to 24 in.	5 00		
Trailing (J. procumbens), 6 in., 1 yr	1 00 1 50		
" 18 to 34 in	2 00		
Irish, 6 to 10 in	78		
" 12 to 18 in	1 00		
2 to 3 ft., twice transplanted	1 50		
5 to of it., thrice	2 50		
Pyramidal, 18 to 24 in	1 50 1 50		
" 3 to 4 ft	2 50		
" 4 to 5 ft	3 5)	
PINUS mughus (Dwarf Mountain Pine), 12 in	5 0	40 00	
" " 18 in. diameter	10 0)	
RETINOSPORA plumosa, 12 to 15 in.	1 50		
" 15 to 18 in	2 00 15 00		•
" 4 to 5 ft			
" aurea, 12 to 15 in,	2 50		ı
" 18 to 24 in	7 5		,
" 8 to 4 ft			
" lutescens, 2 ft., sheared specimens		_	
squarrosa Veitchii, 12 to 15 in., sheared	5 0 10 0		
" 24 to 30 in	10 00		
Cilicica. Very fine, 6 to 7 ft			
Douglas, 3 to 4 ft.	10.00)	
European, 5 to 6 ft			
"8 to 10 ft., fine specimens Each, \$5 to \$15	10 0		
Fraseri (Southern Balsam), 3 to 4 ft	5 0)	
Weeping (Abies pectinata pendula), 2 to 21 ft	25 0)	
pichta, 4 to 5 ft	7 5		
Morinda, 2 to 3 ft	7 5)	
Nordmann's, 12 to 15 in., twice transplanted	3 00		
" 18 to 24 in	7 50		
" 2½ to 3 ft	30 0	0 15 0 00	1
beleeted specimens, 4 to 0 it	30 0	9	

	_		_
SPRUCE, Alcoquiana, 2 to 21 ft., grafted	Per		Per 100
Colorado Blue (Picea pungens glauca), grafted; 2½ to 3 ft			
8 to 4 ft			
" Seedlings, 3 to 4 ft	40	00	
" (P. Parryana glauca), 4 to 5 ft		00	
Pungens Seedlings, not blue, 18 to 24 in	2	0 0	\$16 00
" " 24 to 30 in	8	0 0	25 0 0
" " 3 to 4 ft	7	5 0	60 00
" " 4 to 5 ft	15	00	10 0 00
elata, 4 to 5 ft.; long, spreading branches; very singular	1 5	00	
" 6 to 8 ft	50	00	
Homlock, 18 to 24 in., twice transplanted	4	00	3 0 00
" $2\frac{1}{2}$ to 3 ft., thrice transplanted	7	50	6 0 00
" 3 to $3\frac{1}{2}$ ft., frequently transplanted	9 (00	75 00
" 4 to 5 ft., " "	20	00	1 6 0 00
" 5 to 6 ft., " "	25	00	200 00
Extra sheared specimens \$5 to \$10 each	4 = .	00	
macrophyna, 12 to 18 in., graited			
Sargent's Weeping, 16 in., granted	25	00	
o It., specimens. Each, \$10	_	00	
Orientalis, 12 to 18 in	5		
13 00 2 10			
of to 4 it., the specimens	50	00	
4 to 5 it., the specimens Each, \$4 to \$6	4	00	0 00
Norway, 12 to 18 in.; twice transplanted	1 1		8 00
5 to 4 It., thrice transplanted	5		
100010.,	10	UU	
0 to 6 It Each, \$2 to \$5			
10 to 12 it	0=	00	
Compacta, 15 to 18 in			
amusa, 2 to 5 ft			
Golden (Extersa aurea), 5 to 61t			
Gregoriana, 12 to 19 in.			
" Weeping (Abies inverta), 3 to 4 ft			
" " 5 to 6 ft\$25 to			
" " 6 to 8 ft., \$10 to \$25 ea			
Golden White (P. alba gloriosa), Glory of Spruces, 5 to 6 ft	15	00	
THUYOPSIS Dolobrata, 12 to 18 in	3	0 0	
YEW, Golden (Taxus baccata aurea), 18 to 24 in	2 5	00	
" 2 to 3 ft Each, \$2.50 to \$5			
EVERGREEN AND DECIDUOUS SHRU	ID	2	
EVERGREEN AND DECIDOOGS SHAR	Per		Per 100
ALTHÆA, Double Red, Double Pink and Double White, 2 to 3 ft			\$8 00
" Pink and Double White, 3 to 4 ft	1 4		12 0 0
" " " 5 to 6 ft	2		20 00
0 to 1 to	3 (25 00
Variegated-leaved, 18 to 24 in.	1 (12 00
Seedlings, mixed, 3 to 4 ft		50 8 0	4 00 2 00
AMORPHA fruticosa (Indigo Bush), 4 to 5 ft		75	4 00
" " 6 to 7 ft	1 (8 00
ANDROMEDA arborea (Oxydendrum; Sorrel Tree), transplanted, 4 to 5 ft.			
racemosa, 4 to 5 ft., transplanted	5 (
ARALIA pentaphylla, 6 to 7 ft	2 8		
spinosa, 6 to 7 ft	2 5		

AZALEA AMCENA. I have a fine stock of this scarce but valuable plant. It is one of the choicest dwarf evergreen shrubs for small yards and for massing, and for bordering groups of rhododendrons or other broadleaved evergreens. It blooms very freely in early summer, and forces with the greatest ease. The flowers are semi-double, 1 inch in diameter and of rich carmine or magenta color, borne in great profusion. When full grown the plants attain a size of 3 to 4 feet in height. It is highly prized wherever known, and well grown specimens are always eagerly taken at good prices whenever they can be secured; but, as it is a dwarf plant and a rather slow grower, the demand has always been in excess of the supply and large plants are always scarce. The young stock here offered will continue to increase in value for several years.

17177	Per	10	Per 100
AZALEA amcena, strong plants—	. 0	00	*0= 00
3 to 12 m., from open ground; wen branched			\$25 00
12 to 15 in., from open ground; fine plants		0 0	35 00 5 0 00
" 18 to 24 in	-		75 00
" 24 to 80 in., selected plants			10 00
calendulacea, 3 to 4 ft		50	
Indica alba and Henondigiri, 2 yr		50	25 00
BERBERIS purpurea (Purple-leaved Barberry), 18 to 24 in., transplanted	1	00	8 0 0
Thunbergii, seedlings 6 to 12 in	_	30	2 00
" 12 to 15 in		50	4 00
" 15 to 18 in., transplanted; bushy	1	00	8 00
" 24 in., transplanted; very bushy	. 2	50	2 0 00
BUXUS aurea variegata, latifolia, myrtifolia, rotundifolia and			
sempervirens (Tree Box), nice specimens\$1 to \$5 each			
9 to 12 in		75	6 00
2 to 2½ ft			
suffruticosa, dwarf box edging, 2 yrs \$40 per 1,000	1	00	6 0 0
OALYCANTHUS floridus, 3 to 4 ft	1	50	10 00
CARAGANA arborescens, 2 to 3 ft	1	00	6 00
OERASUS padus (Bird Cherry), 5 to 6 ft	2	00	15 00
OEROIS Japonica (Japan Judas), bushy plants, 4 to 5 ft	10	00	7 5 00
" " " 5 to 6 ft	15	00	
canadensis, 4 to 5 ft	2	5 0	20 00
' 5 to 6 ft	3	0 0	25 00
OHIONANTHUS Virginica (White Fringe), 2 to 3 ft., transplanted		20	10 0 0
3 to 41t.,		50	1 2 00
CLERODENDRON serotinum, 3 to 4 ft		00	
•	ð	00	
CLETHRA alnifolia (Sweet Pepper Bush), 12 to 18 in		60	4 00
OOROHORUS Japonica and variegata, 2 to 3 ft		00	6 00
OORNUS floridus (White-flowering Dogwood), 6 to 7 ft., bushy		0 0	
sanguinea, 2 to 3 ft.		00	6 00
" 5 to 6 ft		00	16 00
paniculata, 3 to 4 ft		5 0	10 00
COTONEASTER Simonsi, 12 to 18 in.	1	00	6 00
ORATÆGUS pyracantha and Lelandi, 6 to 9 in		5 0	10 00
12 to 15 m	2	00	15 00
DAPHNE cneorum, 9 to 12 in	2	50	
DEUTZIA candidissima plena (Double White), 8 to 4 ft	1	50	10 00
scabra, Pride of Rochester and Watereri, 3 to 4 ft	1	50	10 00

	Per		Per	***
DEUTZIA candidissima plena, Pride of Roch. and scabra, 4 to 5 ft.			\$12	
" " " " 6 to 7 ft,		50	_	
gracilis, 2 yrs., strong	1	00	6	00
ELÆAGNUS umbellatus, 3 to 4 ft	1	00	8	00
" 5 to 6 ft	2	50	20	00
EUONYMUS radicans and radicans variegata, 6 to 12 in	1	00	8	00
EXOCHORDA grandiflora (Pearl Bush), 2 to 3 ft		50	10	
0.00 ± 10		00	16	
FORSYTHIA viridissima and suspensa, 3 to 4 ft		25	10	
" 6 to 7 ft HALESIA diptera and tetraptera, 10 to 15 in	z	50 50	20	00
HIBISOUS rosa sinensis (Chinese Hibisous), not hardy. Very showy sum-		00	*	00
mer bloomer—				
Single and double crimson, 8 ft	7	5 0		
" " 1 yr. from 4-in. pots		50		
HYDRANGEA paniculata grandiflora, 11 to 2 ft	1	20	10	00
" 2 to 3 ft	1	50	12	00
cordata, 3 to 4 ft		50		
Otaksa and Cyanoclada (Red branched), grown in 5-in. pots		00	15	00
" " grown in 7-in. pots, fine	۵	00	10	00
plants for forcing	4	00	35	00
HYPERICUM Kalmianum, 2 to 3 ft	1	00		
ILEX verticillata, 2 to 3 ft	1	5 0	10	00
JASMINUM nudiflorum, 1½ to 2 ft	1	00	8	00
LAGERSTRŒMIA Indica and Rubra (Crape Myrtle), 18 to 24 in	5	00	4 0	00
LIGUSTRUM oval. (California Privet), 2 to 2½ ftPer 1,000 \$25	1	00	3	00
" $2\frac{1}{2}$ to 3 ft.; bushy. " \$50		7 5	6	00
" " 3½ to 4 ft.; " " \$75		00		00
LIGUSTRUM Ibota (Chinese Privet), true, hardy, 18 to 24 in		00		00
" " " " 3 to 4 ft	1	00 3 0		00 0 0
LONIOERA fragrantissima, Morrowii and Ledebourii, 8 to 4 ft.;		90	1	00
bushy		75	15	00
MAHONIA aquifolia, 12 to 15 in., transplanted		00	15	
PHILADELPHUS coronarius, 3 to 4 ft.		50	10	00
RHODODENDRON, Hardy named varieties, with buds\$10 to	25			
maximum, 2 to 3 ft., transplanted			125	00
" 3 to 3\frac{1}{2} ft., fine bushes			1.00	
" 4 to 5 ft				
Ponticum, 3 to 4 ft.; fine plants				
RHODOTYPOS kerrioides, 2 to 3 ft	2	00	1 6	00
RHUS cotinus (Purple Fringe), 4 to 5 ft	2	00	15	00
laciniata (Cut-leaved Sumac), 3 to 4 ft	2	50	20	00
ROSA Wichuraiana (Memorial, or Japan Trailing Rose), 2 to 3 ft		75	6	00
" layers; well rootedper 1,000, \$15		50		00
1-year per 1,000, \$50	_	7 5		00
Orimson Rambler; 1-yr., field-grown		00 50		0 0
" 2-yr Gardenia, Golden Rambler and Jersey Beauty, 2 yrs., strong.		50		00
Gardenia, Golden mambier and deleby beauty, 2 yrs., strong.		00	10	

DOGA T M. Milder Milide and Chinese O. O.C.		1 10	Per 100
ROSA Lucida, Multifirra, Nitida and Stigera, 2 to 3 ft		5 0	\$10 00
Lucida alba and Rubrifolia, 2 to 3 ft		00	2 0 00
rugosa, 2 to 3 ft	_	5 0	10 00
RUBUS rosæfolius (Strawberry Raspberry)	1	0 0	5 00
SOPHORA Japonica, 3 to 4 ft., fine bushy plants	5	00	
SPIRÆA arguta; single white; very hardy; 3 to 4 ft	1	00	
Billardii, 8 to 4 ft		00	8 00
" 4 to 5 ft	1	50	1 0 0 0
Callosa alba, 12 to 18 in	1	00	8 00
opulifolia aurea, 3 to 4 ft	1	0 0	8 00
Reevesii, Single and Double, 2 to 3 ft	1	20	10 00
prunifolia and Thunbergii, 2 to 3 ft	1	20	10 00
Van Houttei, 2 to 3 ft	1	20	10 00
Anthony Waterer. Dwarf, carmine; 2 years, 18 to 24 in	1	20	10 00
STEPHANANDRA flexuosa, 12 to 18 in	1	00	8 00
3 to 4 ft.; bushy		00	16 00
STYRAX Japonica, 3 to 4 ft 5 to 6 ft		00	15 00
" 7 to 8 ft		50	20 00
SYMPHORICARPUS vulgaris, 3 to 4 ft.	-	00	8 00
SYRINGA vulgaris (Purple Lilac), 3 to 4 ft	_	50	12 00
" alba, 3 to 4 ft		50	20 00
" villosa, 2 ft		00	~~ ~~
VIBURNUM opulus (Tree Cranberry), 2 to 3 ft	_	00	
plicatum, 18 to 24 in	1	25	10 0 0
" 2 to 3 ft		00	10 00
" 3 to 4 ft		50	
large bushes, 4 to 5 ft		00	
tomentosum, 12 to 18 in		00	6 00
4 to 5 ft		00	15 0 0 25 00
" 5 to 6 ft., large bushes			20 00
Cassinoides and lentago, 2 to 3 ft		50	
dentatum, 2 to 3 ft	2	00	
WEIGELAS, rosea, Desboisii, Isoline, Eva Rathke and aurea			
variegata, 3 to 4 ft	1	20	10 00



ROSA RUGOSA

VINES AND CREEPERS.

VINES AND CREEPERS.		
AKEBIA quinata, Rooted layers	Per 10 \$0 50	Per 100 \$2 00
AMPELOPSIS heterophylla, 4 to 5 ft	1 50	10 00
Veitchii, pot grown	1 50	10 00
Virginica, 8 yrs., strong vines	1 00	8 00
BIGNONIA radicans (Trumpet Creeper), 2 to 3 ft	1 50	10 00
" 4 to 5 ft.; large, strong plants	2 5 0	
Thunbergii, 4 to 5 ft	4 00	2 5 00
OLEMATIS paniculata	2 00	
EUONYMUS radicans and radicans variegata	1 00	8 00
LONIOERA aurea (Golden Japan Honeysuckle) and Halliana	1 00	8 00
Japonica (Pink Woodbine)	1 00	8 00
PUERARIA Thunbergiana (Dolichos Japonica)	5 00	
ROSA Wichuraiana, 2 to 3 ft	7 5	6 00
TECOMA radicans (Bignonia), 2 to 8 ft	7 5	5 00
" 3 to 4 ft., strong roots	1 50	10 00
VINCA minor (Blue Periwinkle). Dividedper 1,000, \$15	50	2 50
" alba variegata. Variegated leaf and white flower	7 5	4 00
${\bf WISTARIA}$ frutescens and frutescens alba (Glycine), 4 to 5 ft., strong.	2 50	
" magnifica, 3 to 4 ft	1 50	12 00
4 to 6 ft., large plants	2 50	20 00
Chinensis, rooted layers	75	5 00
" Seedlings, 18 to 24 in	75	4 00
3 to 4 ft., transplanted	2 50	20 00
" 4 to 5 ft., strong bushes	5 00	
" alba (White Wistaria), 3 to 4 ft., strong	5 00	
" " $\frac{1}{2}$ to 3 ft	2 50	
multijuga and double blue, 4 to 6 ft	5 00	
"Strong plants with 6 to 12 feet of runners, \$10.		

BULBOUS AND HERBACEOUS PLANTS, GRASSES, ETC.

	Per	10	Per	100
AQUILEGIA, 2 yrs., strong roots	\$1	50	\$ 10	00
ASTILBE, or Spiræa Japonica	1	00	6	00
DAHLIAS, dry roots. 50 of the choicest varieties	1	00	7	00
DICENTRA spectabilis	1	00	6	0
ERIANTHUS Ravennæ	1	50	10	00
EULALIA Japonica variegata, zebrina and gracillima, strong				
clumps	1	00	5	00
Very strong clumps, 15 to 20 eyes	1	50	12	00

WITHIELD (Disc Des I the street of the stree	Per 10	Per 100	Per 1,000
FUNKIA cærulea (Blue Day Lily), strong clumps	\$ 1 50		
subcordata (White Day Lily), strong clumps	2 00	\$15 0 0	
HEMEROCALLIS fulva (Orange Day Lily)	1 00	5 00	
flava (Early Lemon Lily)	2 00	1 5 00	
Thunbergii (Midsummer Lemon Lily)	1 50	10 00	
HIBISCUS Moscheutos (Pink Marsh Mallow)	50	4 00	
" (Crimson Eye Marsh Mallow)	50	4 00	\$3 0 0 0
IRIS Kæmpferi, choice named varieties	1 00	8 00	
" Large clumps	3 00	2 5 00	
PÆONIA, Assorted (Pink varieties; no white or crimson), strong			
roots	2 50	20 00	
PHLOX decussata, choice named sorts	1 00	8 0 0	
RUDBECKIA (Autumn Glow), Double Cone Flower	1 00	5 00	
UNIOLA latifolia. Hardy ornamental grass; 3 ft. high	1 00	5 00	
YUCCA filamentosa, 3 yrs., transplanted; strong plants	1 50	10 00	
" A few extra-large clumps	5 00		
Gloriosa recurva and angustifolia	1 50	10 00	
" Strong plants	7 50		



HERBACEOUS PÆONIAS.

SEEDLINGS AND CUTTINGS.

EVERGREENS.
ARBORVITÆ, compacta, Hovey's Gol- den, Pumila, Ericoides
and Tom Thumb, 2 yr.,
8 to 10 in., trans\$0 75 \$5 00
globosa, Vervæneana and
Siberian, 6 to 9 in 75 5 00
JUNIPER, Golden (J. com. aurea), 4 to 6 in. 50 3 00
Irish, 1 yr., 4 to 6 in
" 2 yr., 12 to 18 in., trans 75 5 00
Pyramidal, 6 to 10 in 75 4 00
sabina and alba spica 4 to 6 in. 75 5 00
Swedish and Dwarf, 6 to 10 in. 75 5 00
Trailing (<i>J. prostrata</i>). 9 in 75 4 00
RETINOSPORA plumosa and plumosa
aurea, 5 to 10 in 1 00 6 00
12 to 15 in
SILVER FIR, Nordmann's (<i>P.Nordmann-iana</i>), 10 to 15 in., trans 2 00 15 00
SPRUCE, Alcoquiana, 12 to 18 in., grafted. 5 00
Colorado (A. pungens), 12 to 18 in. 2 00
Hemlock, 12 to 15 in., trans 1 50 12 00
inverta, grafted, 9 to 12 in 3 50
Orientalis, 12 to 18 in 5 00
DECIDUOUS TREES.
Per 10 100 1,000
MAPLE, Silver, 4 to 5 ft\$1 00 \$4 00 \$20 00
OAK, Mossy Cup (Q. macrocarpa).
12 to 15 in
Pin (Q. palustris), 2 to 3 ft 30 2 00 10 00 Red (Q. rubra), 3 to 4 ft 50 3 00 20 00
SHRUBS-DECIDUOUS AND EVER-
GREEN.
Per 10 100 1,000 ALTHEA, seedlings, 18 to 24 in\$0 50 \$2 00 \$15 00
AZALEA amœna and pontica, 6 to
9 in 60 5 00 45 00
BERBERIS Thunbergii seedlings,
No. 1
Thunbergit seedlings,
No. 2 20 1 50 10 00
BUXUS latifolia, myrtifolia and
sempervirens, 6 to 10 in., trans 75 5 00 40 00
CALYCANTHUS floridus, 12 to 18 in.
CARAGANA arborescens, 6 to 10
in 50 2 00
CERCIS Canadensis, 6 to 10 in 50 3 00 25 00
COTONEASTER microphylla and
Simonsi, 6 to 9 in
CRATÆGUS pyracantha, 10 ft 1 00 6 00
Lelandii, 8 to 10 in 1 00 6 00
DEUTZIA candidissima plena,
Pride of Rochester
and scabra, 2 to 3 ft 40 3 00
gracilis, 1 yr. 6 to 8 in 30 2 00

Per	10	100		000
ELÆAGNUS umbellatus, 1 yr\$0 30	\$2	00		
longipes, 1 yr 60		00		
EUONYMUS radicans and var-				
iegata, 6 to 12 in 1 00	8	00		
HALESIA tetraptera, 9 to 12 in 50	4	00		
diptera, 6 in 60	4	00		
HIBISCUS Moscheutos, Crimson				
Eye and rosea 35	3	00	20	00
LIGUSTRUM ibota and vulgaris, 12				
to 18 in 50	3	00	25	00
Chinensis and me-				
dium, 12 to 18 in 26	1	00	6	00
MAGNOLIA Kobus, 1 yr., 4 to 6 in 50	2	50	15	00
RHODOTYPUS kerrioides, 1 yr 30	1	00	8	00
ROSA Wichuraiana, Rooted layers 50	3	00	15	00
STEPHANANDRA flexuosa, 12 to				
15 in 50	3	00		
SPIRÆA Thunbergi, Van Houttei				
and Watereri, 9 to 12 in 50	3	00		
STYRAX Japonica, 12 to 18 in 50	3	00		
VIBURNUM tomentosum, 18 to	_			
24 in 1 00	-	00	40	00
plicatum, 9 to 12 in 1 00	8	00		
AMPELOPSIS heterophylla or in-				
cisa, 1 to 2 ft 30	_	00		
WISTARIA Sinensis, 12 to 15 in 75	_	00		
" 18 to 24 in 1 00	6	00		



COLORADO BLUE SPRUCE

20,000 AZALEA AMŒNA from \$15 to \$500 per 1,000.

Addres

SAMUEL C. MOON, Morrisville, Pa.

Telegraph address, care of Bell Telephone 8-11a, Trenton, N. J.